

## Linear Alkylbenzene Sulphonic Acid(cas 27176-87-0)

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifiers** : Linear alkylbenzene sulphonic acid  
Product name

CAS-No. : 27176-87-0

Manufacturer: Nanjing Chemical Material Corp.

No.5 New Model Rd, 210009, Nanjing, China

el/Fax:86-25-52337978/83304509

Mail: info@njchemm.com

Web: www.njchm.com

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]**

Flammable liquids (Category 3)

Acute toxicity, Oral (Category 4)

Skin corrosion (Category 1B)

Specific target organ toxicity - single exposure (Category 3)

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**

Flammable. Causes burns. Vapours may cause drowsiness and dizziness. Harmful if swallowed.

#### 2.2 Label elements

**Labelling according Regulation (EC) No 1272/2008 [CLP]**

Pictogram



Signal word

Danger

Hazard statement(s)

H226

Flammable liquid and vapour.

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

H336

May cause drowsiness or dizziness.

Precautionary statement(s)

P261

Avoid breathing vapours.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard

none

Statements

**According to European Directive 67/548/EEC as amended.**

Hazard symbol(s)



R-phrase(s)

R10

Flammable.

R22

Harmful if swallowed.

R34

Causes burns.

R67

Vapours may cause drowsiness and dizziness.

S-phrase(s)

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39

Wear suitable protective clothing, gloves and eye/face protection.

S45

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### 2.3 Other hazards - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

Formula : C18H30O3S  
Molecular Weight : 320.4 g/mol

Component

Ingredient	Percent	CAS Number
Alkyl benzene sulphonic acid	>96%	27176-87-0

Free oil	2% max	/
----------	--------	---

Sulfuric acid	1.5% max	/
---------------	----------	---

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

no data available

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

Light sensitive.

**7.3 Specific end uses**

no data available

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

**Components with workplace control parameters**

**8.2 Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment****Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

- |   |                     |
|---|---------------------|
| a) Appearance                                   | Form: liquid        |
| b) Odour  | no data available   |
| c) Odour Threshold                              | no data available   |
| d) pH   | no data available   |
| e) Melting point/freezing point                 | no data available   |
| f) Initial boiling point and boiling range      | 82 °C               |
| g) Flash point                                  | no data available   |
| h) Evaporation rate                             | no data available   |
| i) Flammability (solid, gas)                    | no data available   |
| j) Upper/lower flammability or explosive limits | no data available   |
| k) Vapour pressure                              | no data available   |
| l) Vapour density                               | no data available   |
| m) Relative density                             | 0,992 g/mL at 25 °C |
| n) Water solubility                             | no data available   |
| o) Partition coefficient: n-octanol/water       | no data available   |

- p) Autoignition temperature no data available
- q) Decomposition temperature no data available
- r) Viscosity no data available
- s) Explosive properties no data available
- t) Oxidizing properties no data available

## 9.2 Other safety information

no data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

no data available

### 10.6 Hazardous decomposition products

Other decomposition products - no data available

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

#### Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

#### Reproductive toxicity

no data available

#### Specific target organ toxicity - single exposure

no data available

#### Specific target organ toxicity - repeated exposure

no data available

#### Aspiration hazard

no data available

#### Potential health effects

##### Inhalation

Vapours may cause drowsiness and dizziness. May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

##### Ingestion

Harmful if swallowed. Causes burns.

##### Skin

May be harmful if absorbed through skin. Causes skin burns.

##### Eyes

Causes eye burns.

#### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Additional Information

RTECS: Not available

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

no data available

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

no data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: 2924

IMDG: 2924

IATA: 2924

### 14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (2-Propanol, Dodecylbenzenesulphonic acid)

IMDG: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (2-Propanol, Dodecylbenzenesulphonic acid)

IATA: Flammable liquid, corrosive, n.o.s. (2-Propanol, Dodecylbenzenesulphonic acid)

### 14.3 Transport hazard class(es)

ADR/RID: 3 (8)

IMDG: 3 (8)

IATA: 3 (8)

### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

no data available

## 15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

### 15.2 Chemical Safety Assessment

no data available

## 16. OTHER INFORMATION

### Text of H-code(s) and R-phrases(s) mentioned in Section 3

Acute Tox.	Acute toxicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Skin Corr.	Skin corrosion
STOT SE	Specific target organ toxicity - single exposure
C	Corrosive
F	Highly flammable
R11	Highly flammable.
R22	Harmful if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R67	Vapours may cause drowsiness and dizziness.
Xi	Irritant
Xn	Harmful

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

