# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 6.0 Revision Date 08.11.2016 Print Date 07.08.2018 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifiers<br>Product name               | : | (3-Aminopropyl)triethoxysilane  |
|-----|---|---|---|
|     | Product Number<br>Brand<br>Index-No.<br>REACH No. | : | 706493<br>Aldrich<br>612-108-00-0<br>A registration number is not available for this substance as the substance<br>or its uses are exempted from registration, the annual tonnage does not<br>require a registration or the registration is envisaged for a later<br>registration deadline. |
|     | CAS-No.   | : | 919-30-2  |

## **1.2** Details of the supplier of the safety data sheet

| Company          | : Nanjing Chemical Material Corp.<br>No.5 New Model Rd, Nanjing,<br>210009, China |
|------------------|---|
| Telephone<br>Fax | : +86 25-52337978<br>+86 25-83304509  |
| Web              | : www.njchm.com   |
|                  |   |

### 1.4 Emergency telephone number

Emergency Phone : +86 25-52337978

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Skin sensitisation (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

#

Labelling according Regulation (EC) No 1272/2008
Pictogram

Signal word

Danger

| Hazard statement(s)<br>H302<br>H314<br>H317 | Harmful if swallowed.<br>Causes severe skin burns and eye damage.<br>May cause an allergic skin reaction.   | Re |
|---|---|----|
| Precautionary statement(s)<br>P280          | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |    |
| P305 + P351 + P338<br>P310                  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |    |
| Supplemental Hazard<br>Statements           | none  |    |

2.3 Other hazards - none

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

| Synonyms         | : | 3-Triethoxysilylpropylamine<br>APTES<br>APTS      |
|------------------|---|---|
| Formula          | : | C <sub>9</sub> H <sub>23</sub> NO <sub>3</sub> Si |
| Molecular weight | : | 221.37 g/mol                                      |
| CAS-No.          | : | 919-30-2  |
| EC-No.           | : | 213-048-4   |
| Index-No.        | : | 612-108-00-0                                      |

## Hazardous ingredients according to Regulation (EC) No 1272/2008

| Component         |              | Classification              | Concentration |
|-------------------|--------------|-----------------------------|---------------|
| 3-Aminopropyltrie | ethoxysilane | Vac                         |               |
| CAS-No.           | 919-30-2     | Acute Tox. 4; Skin Corr. 1E | 3; <= 100 %   |
| EC-No.            | 213-048-4    | Skin Sens. 1; H302, H314,   |               |
| Index-No.         | 612-108-00-0 | H317                        |               |
|                   |              |                             |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3** Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2** Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx), silicon oxides

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information** Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections For disposal see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive. Store under inert gas. Storage class (TRGS 510): Combustible liquids, corrosive

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 60 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

| a) | Appearance                              | Form: liquid, clear<br>Colour: colourless |
|----|---|---|
| b) | Odour                                   | No data available                         |
| c) | Odour Threshold                         | No data available                         |
| d) | рН                                      | No data available                         |
| e) | Melting point/freezing<br>point         | No data available                         |
| f) | Initial boiling point and boiling range | 217 °C at 1013 hPa - lit.                 |
| g) | Flash point                             | 93 °C - closed cup                        |

| h)                       | Evaporation rate                                   | No data available  |  |
|--------------------------|--|--|--|
| i)                       | Flammability (solid, gas)                          | No data available  |  |
| j)                       | Upper/lower<br>flammability or<br>explosive limits | Upper explosion limit: 4.5 %(V)<br>Lower explosion limit: 0.8 %(V) |  |
| k)                       | Vapour pressure                                    | < 10 mmHg at 100 °C<br>100 mmHg at 155 °C                          |  |
| I)                       | Vapour density                                     | 7.64 - (Air = 1.0)   |  |
| m)                       | Relative density                                   | 0.946 g/cm3 at 25 °C   |  |
| n)                       | Water solubility                                   | No data available  |  |
| o)                       | Partition coefficient: n-<br>octanol/water         | log Pow: 1.7 at 20 °C  |  |
| p)                       | Auto-ignition<br>temperature                       | 270 °C   |  |
| q)                       | Decomposition<br>temperature                       | No data available  |  |
| r)                       | Viscosity  | No data available  |  |
| s)                       | Explosive properties                               | No data available  |  |
| t)                       | Oxidizing properties                               | No data available  |  |
| Other safety information |  |  |  |

#### Relative vapour density 7.64 - (Air = 1.0)

## **SECTION 10: Stability and reactivity**

10.1 Reactivity No data available

9.2

- ky sot 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid Heat, flames and sparks.
- 10.5 Incompatible materials Strong oxidizing agents, Acids

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), silicon oxides Other decomposition products - No data available In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 1,780 mg/kg(3-Aminopropyltriethoxysilane) LC50 Inhalation - Rat - male - 6 h - > 5 ppm(3-Aminopropyltriethoxysilane) (OECD Test Guideline 403) LC50 Inhalation - Rat - female - 6 h - > 16 ppm(3-Aminopropyltriethoxysilane) (OECD Test Guideline 403) LD50 Dermal - Rabbit - 3.8 g/kg(3-Aminopropyltriethoxysilane)

#### Skin corrosion/irritation

Skin - Rabbit(3-Aminopropyltriethoxysilane) Result: Causes burns. - 1 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit(3-Aminopropyltriethoxysilane) (OECD Test Guideline 405) Remarks: Severe eye irritation

#### Respiratory or skin sensitisation

Buehler Test - Guinea pig(3-Aminopropyltriethoxysilane) May cause sensitisation by skin contact. (OECD Test Guideline 406)

#### Germ cell mutagenicity

Hamster(3-Aminopropyltriethoxysilane) ovary Result: negative Mutagenicity (micronucleus test)(3-Aminopropyltriethoxysilane) Mouse - male and female Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

No data available(3-Aminopropyltriethoxysilane)

## Specific target organ toxicity - single exposure

No data available(3-Aminopropyltriethoxysilane)

#### Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard

No data available(3-Aminopropyltriethoxysilane)

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level - 200 mg/kg - Lowest observed adverse effect level - 600 mg/kg(3-Aminopropyltriethoxysilane)

Repeated dose toxicity - Rabbit - male and female - Dermal - No observed adverse effect level - 84 mg/kg(3-Aminopropyltriethoxysilane) RTECS: TX2100000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation,

Liver - Irregularities - Based on Human Evidence(3-Aminopropyltriethoxysilane)

## **SECTION 12: Ecological information**

## 12.1 Toxicity

|      | Toxicity to fish  | semi-static test LC50 - Danio rerio (zeb<br>Aminopropyltriethoxysilane)<br>(OECD Test Guideline 203) | ra fish) - > 934 mg/l - 96 h(3-           |  |
|------|---|--|---|--|
|      | Toxicity to daphnia and<br>other aquatic<br>invertebrates   | Immobilization EC50 - Daphnia magna<br>Aminopropyltriethoxysilane)<br>(OECD Test Guideline 202)      | (Water flea) - 331 mg/l - 48 h(3-         |  |
|      | Toxicity to algae   | static test EC50 - Desmodesmus subsp<br>h(3-Aminopropyltriethoxysilane)                              | vicatus (green algae) - > 1,000 mg/l - 72 |  |
|      | Toxicity to bacteria  | EC50 - Pseudomonas putida - 43 mg/l  | - 5.75 h(3-Aminopropyltriethoxysilane)    |  |
| 12.2 | Persistence and degrad<br>Biodegradability  | lability<br>aerobic - Exposure time 28 d(3-Aminop<br>Result: 67 % - Not biodegradable                | propyltriethoxysilane)                    |  |
| 12.3 | Bioaccumulative poten   | tial   |   |  |
|      | Bioaccumulation   | Cyprinus carpio (Carp) - 5 mg/l(3-Amine  | opropyltriethoxysilane)                   |  |
|      |   | Bioconcentration factor (BCF): 3.4   |   |  |
| 12.4 |   |  |   |  |
| 12.5 |   |  |   |  |
| 12.6 | Other adverse effects   |  |   |  |
|      | No data available   |  |   |  |
| SECT | ION 13: Disposal consid   | erations   |   |  |
| 13.1 | Waste treatment metho   | ds   |   |  |
|      | <b>Product</b><br>This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.                                 |  |   |  |
|      | <b>Contaminated packagir</b><br>Dispose of as unused pro  |  |   |  |
| SECT | SECTION 14: Transport information   |  |   |  |
| 14.1 | <b>UN number</b><br>ADR/RID: 2735   | IMDG: 2735   | IATA: 2735                                |  |
| 14.2 | UN proper shipping nameADR/RID:AMINES, LIQUID, CORROSIVE, N.O.S. (3-Aminopropyltriethoxysilane)IMDG:AMINES, LIQUID, CORROSIVE, N.O.S. (3-Aminopropyltriethoxysilane)IATA:Amines, liquid, corrosive, n.o.s. (3-Aminopropyltriethoxysilane) |  |   |  |
| 14.3 | Transport hazard class<br>ADR/RID: 8  | (es)<br>IMDG: 8  | IATA: 8                                   |  |

| 14.4 | Packaging group<br>ADR/RID: II                    | IMDG: II                  | IATA: II | Remove Waterma |
|------|---|---------------------------|----------|----------------|
| 14.5 | Environmental hazards<br>ADR/RID: no              | IMDG Marine pollutant: no | IATA: no |                |
| 14.6 | Special precautions for user<br>No data available |                           |          |                |
| SECT | SECTION 15: Regulatory information                |                           |          |                |

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
- **15.2 Chemical safety assessment** For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

| Full text of H-Statements referred to under sections 2 and 3. |  |
|---|--|
|---|--|

| H302 | Harmful if swallowed.                    |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction.     |

